

META-LAX[®] MINUTE

Racing Industry

Luzerne County Community College, PA



Chassis Being Weld Conditioned

Meta-Lax stress relief is applied during repair for quality assurance against cracking and distortion, producing a safer and more reliable chassis.

BONAL[®]
TECHNOLOGIES C 
800-638-2529

**Ask an
Expert**

Dave's Automotive, IA



Engine Components

Meta-Lax reduces cracking, improving engine performance. Typical results include the following:

Valve Springs - Double Life


Crankshaft - Triple Life

Con Rods - Double Life

Blocks -
Triple Life

FINISH FAST, FINISH FIRST, FINISH SAFE

Birchwood Automotive Group, OH



Meta-Laxed Rotor

Untreated Rotor

Brake Rotors

Meta-Laxed Rotor - This out-of-the-box rotor was treated with Meta-Lax stress relief prior to use. Used in a 24-hour endurance race, no cracks are evident. Disc surface wear was also reduced, as compared to the untreated rotors.

Untreated Rotor - This identical-part-numbered front rotor was used during the same 24-hour race and not treated. Note the small cracks that are distributed throughout the disc surface. This result is considered quite normal as a result of a 24-hour event.

BONAL[®]
TECHNOLOGIES C 

1300 North Campbell Road • Royal Oak, MI 48067

800-Meta-Lax • Ph: 248-582-0900 • Fax: 248-582-0901 • www.BONAL.com

© Meta-Lax is a registered trademark of Bonal Technologies, Inc. © Copyright 2021